Tattoos, Well-Being, and Gender at Six American Public Universities

Jerome R. Koch
Alden E. Roberts
Myrna L. Armstrong
Donna C. Owen
Texas Tech University

University Enrollments:

The Sample

•	Northeast S	State	University	n= 658
---	-------------	-------	------------	--------

• 59 % Female

Variables, Scales, and Results from Surveying Students

Categories of Tattoos:

No tattoos 1 Tattoo 2-3 Tattoos

4 + Tattoos


14 % of males have at least one tattoo 18 % of females have at least one tattoo

Self Esteem

A Scale of Ten Questions:

- On the whole, I am satisfied with myself
- At times I think I am no good at all
- I feel that I have a number of good qualities
- I am able to do things as well as most other people
- I feel I do not have much to be proud of
- I certainly feel useless at times
- I feel that I'm a person of worth
- I wish I could have more respect for myself
- All in all, I am inclined to think that I am a failure
- I take a positive attitude toward myself

Response Choices: "Strongly Disagree" to "Strongly Agree"
Range = 10 to 50
Cronbach's Alpha Measure of Reliability = .86



Depression

A Scale of 6 Questions:

To what extent do you currently feel you cannot eat; your appetite is poor?

To what extent do you currently feel you cannot shake off the blues even with the help of family or friends?

To what extent do you currently feel everything is an effort?

To what extent is your sleep currently restless?

To what extent do you currently feel sad?


To what extent do you currently feel you cannot "get going?"

Response choices:

- Rarely or none of the time (< 1 day a week)
- Some or a little of the time (1-2 days a week)
- Occasionally or a moderate amount of time (3-4 days a week)
- Most all the time (5-7 days a week)

Range = 0 to 18 Chronbach's Alpha Measure of Reliability = .88

Radloff, L.S. (1977) 'The CES-D scale: A self report depression scale for research in the general population'. Applied Psychological Measurement 1: 385-401.



Suicide Ideation

A Scale of 2 Questions:

To what extent do you currently think about hurting yourself?
To what extent do you currently think about taking your own life?


Response choices:

- Rarely or none of the time (< 1 day a week)
- Some or a little of the time (1-2 days a week)
- Occasionally or a moderate amount of time (3-4 days a week)
- Most all the time (5-7 days a week)

Range = 0 to 6

Chronbach's Alpha Measure of Reliability = .80

Radloff, L.S. (1977) 'The CES-D scale: A self report depression scale for research in the general population'. Applied Psychological Measurement 1: 385-401.




Suicide Attempts

How often have you attempted suicide?

- Never
- Once
- Twice
- A few times
- Several times

Radloff, L.S. (1977) 'The CES-D scale: A self report depression scale for research in the general population'. Applied Psychological Measurement 1: 385-401.



Summary

- There are no significant or substantive differences among increasingly tattooed respondents regarding increased depression or suicide ideation.
- There is a modestly significant, though substantively minimal, elevation of self esteem for increasingly tattooed females.
- There are significant increases in reported suicide attempts among increasingly tattooed respondents, especially among those with 4+ tattoos.
- This last behavioral difference is more pronounced among females.